

| | opis | ilość | waga jedn. | długość | ilosc poz | stal | razem |
|-------------|---------------|-------|------------|---------|-----------|----------|---------|
| HP5 | bl 20x450 | 1 | 70,7 | 1244 | 16 | S235JRG2 | 1407,21 |
| | bl 34x260 | 1 | 73,4 | 300 | | S235JRG2 | 352,32 |
| | bl 12x300 | 1 | 28,3 | 1200 | | S235JRG2 | 543,36 |
| HP6 | pręt 24 | 3 | 3,54 | 630 | 16 | S235JRG2 | 107,05 |
| | pręt 24 | 3 | 3,54 | 630 | | S235JRG2 | 107,05 |
| | bl 10x450 | 1 | 35,3 | 1200 | | S235JRG2 | 677,76 |
| HP7 | bl 16x260 | 1 | 32,7 | 1051 | 8 | S235JRG2 | 274,94 |
| | bl 16x260 | 2 | 32,7 | 250 | | S235JRG2 | 130,80 |
| | bl 10x250 | 1 | 19,6 | 1002 | | S235JRG2 | 157,11 |
| | bl 40x700 | 1 | 220 | 260 | | S235JRG2 | 457,60 |
| HP 8 | bl 16x260 | 1 | 32,7 | 1051 | 8 | S235JRG2 | 274,94 |
| | bl 16x260 | 2 | 32,7 | 250 | | S235JRG2 | 130,80 |
| | bl 10x250 | 1 | 19,6 | 1002 | | S235JRG2 | 157,11 |
| | bl 20x700 | 2 | 110 | 260 | | S235JRG2 | 457,60 |
| blacha 1001 | bl 5x548x1728 | | 37 | | 48 | S235JRG2 | 1776,00 |
| suma | | | | | | | 7011,66 |